

| * وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump | | | |
|----------------------------------|------------------------------|---------------------------------|------------------------------|------|-------|-----|-------|-------|-----|------|---------------------------|-----|----------------|-------------|----|----|--------|
| | | | 20 | | | | 18 | | | | HP | kW | | | | | |
| | | | Head (m) | | | | | | | | | | | | | | |
| | | | ارتفاع | | | | | | | | | | | | | | |
| 84 | 10 | 1285 | 20 | 28 | 29 | 32 | 33 | 30 | 40 | 3 | 2.2 | 6C | 193/2 | | | | |
| 86 | 10 | 1440 | 34.5 | 39 | 43.5 | 48 | 49.5 | 52.6 | 60 | 5 | 3.7 | 6E | 193/3 | | | | |
| 107 | 10 | 1565 | 46 | 52 | 58 | 64 | 64 | 70 | 80 | 7.5 | 3.5 | 6E | 193/4 | | | | |
| 111 | 10 | 1610 | 57.5 | 65 | 72.5 | 80 | 82.5 | 87.5 | 100 | 7.5 | 5.5 | 6E | 193/5 | | | | |
| 120 | 10 | 1715 | 69 | 75 | 87 | 96 | 96 | 105 | 120 | 10 | 7.5 | 6E | 193/6 | | | | |
| 143 | 10 | 1690 | 80.5 | 91 | 101.5 | 112 | 115.5 | 122.5 | 140 | 12.5 | 9.2 | 7A | 193/7 | | | | |
| 147 | 10 | 1730 | 92 | 104 | 116 | 128 | 122 | 140 | 160 | 12.5 | 9.2 | 7A | 193/8 | | | | |
| 161 | 10 | 1890 | 103.5 | 117 | 130.5 | 144 | 148.5 | 187.5 | 180 | 15 | 11 | 7A | 193/9 | | | | |
| 165 | 10 | 1995 | 126 | 130 | 145 | 160 | 166 | 176 | 200 | 15 | 11 | 7A | 193/10 | | | | |
| 175 | 10 | 1980 | 126.5 | 145 | 159.5 | 176 | 181.5 | 192.5 | 220 | 18 | 13 | 7A | 193/11 | | | | |
| 189 | 10 | 2250 | 182 | 156 | 174 | 192 | 198 | 210 | 240 | 18 | 13 | 7A | 193/12 | | | | |
| 208 | 10 | 2195 | 172.5 | 160 | 188.5 | 203 | 214.5 | 227.5 | 280 | 25 | 15 | 7A | 193/13 | | | | |
| 216 | 10 | 2250 | 181 | 182 | 203 | 224 | 231 | 245 | 280 | 25 | 18.5 | 7A | 193/14 | | | | |
| 212 | 10 | 2295 | 172.5 | 195 | 217.5 | 240 | 247.5 | 262.5 | 300 | 25 | 18.5 | 7A | 193/15 | | | | |
| 216 | 10 | 2340 | 184 | 208 | 232 | 266 | 264 | 280 | 320 | 25 | 18.5 | 7A | 193/16 | | | | |
| 230 | 10 | 2475 | 195.5 | 231 | 246.5 | 272 | 263.5 | 297.5 | 340 | 30 | 22 | 7A | 193/17 | | | | |
| 234 | 10 | 2560 | 207 | 234 | 261 | 288 | 297 | 315 | 380 | 30 | 22 | 7A | 193/18 | | | | |
| 238 | 10 | 2565 | 290 | 247 | 274.5 | 304 | 313.5 | 332.5 | 380 | 30 | 22 | 7A | 193/19 | | | | |
| 242 | 10 | 2610 | 230 | 260 | 290 | 330 | 330 | 350 | 400 | 30 | 32 | 7A | 193/20 | | | | |
| 293 | 10 | 2810 | 241.5 | 273 | 304.5 | 336 | 366.5 | 367.5 | 420 | 33 | 24.5 | 8A | 193/21 | | | | |
| 322 | 329 | 10 | 12 | 3115 | 2835 | 253 | 283 | 319 | 352 | 363 | 385 | 440 | 41 | 30 | 8A | 9A | 193/22 |

*** Ref to page 25

*** رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|------------|------------------|-------------|-----------|-----------|
| Outlet Pipe Dia. | 2 1/2 Inch | * قطر لوله خروجی | Check Valve | 2-11 Inch | رزه سوپاپ |
|------------------|------------|------------------|-------------|-----------|-----------|

KGT: تأمین کننده محصولات صنعتی معتبر

| * وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump |
|----------------------------------|------------------------------|---------------------------------|------------------------------|------|------|----|-----|-----|-----|------|---------------------------|-----|----------------|-------------|
| | | | 50 | | | | 45 | | | | HP | kW | | |
| | | | Head (m) | | | | | | | | | | | |
| | | | ارتفاع | | | | | | | | | | | |
| 75 | 8 | 1370 | 8.3 | 10.5 | 12 | 14 | 15 | 16 | 17 | 20 | 5 | 3.7 | 6E | 271/2 |
| 80 | 8 | 1480 | 13 | 15.5 | 17.5 | 20 | 22 | 23 | 25 | 29.5 | 5 | 3.7 | 6E | 271/3 |
| 92 | 8 | 1670 | 17 | 21 | 25 | 28 | 30 | 32 | 33 | 39.5 | 7.5 | 5.5 | 6E | 271/4 |
| 97 | 8 | 1780 | 26 | 26 | 31 | 34 | 38 | 40 | 43 | 49.5 | 7.5 | 5.5 | 6E | 271/6 |
| 107 | 8 | 1955 | 26 | 31 | 37 | 42 | 45 | 48 | 59 | 59 | 10 | 7.5 | 6E | 271/6 |
| 112 | 8 | 2065 | 30 | 37 | 43 | 49 | 52 | 56 | 69 | 69 | 10 | 7.5 | 6E | 271/7 |
| 136 | 10 | 2100 | 34 | 42 | 49 | 55 | 60 | 64 | 67 | 79 | 12.5 | 9.2 | 7A | 271/8 |
| 141 | 10 | 2210 | 38 | 47 | 54 | 61 | 66 | 71 | 75 | 89 | 12.5 | 9.2 | 7A | 271/9 |
| 156 | 10 | 2395 | 43 | 52 | 62 | 70 | 76 | 80 | 84 | 99 | 15 | 11 | 7A | 271/10 |
| 161 | 10 | 2500 | 47 | 58 | 66 | 75 | 81 | 87 | 92 | 108 | 15 | 11 | 7A | 271/11 |
| 178 | 10 | 2655 | 52 | 64 | 72 | 82 | 88 | 95 | 101 | 120 | 18 | 13 | 7A | 271/12 |
| 183 | 10 | 2765 | 56 | 69 | 78 | 89 | 96 | 103 | 108 | 130 | 18 | 13 | 7A | 271/13 |
| 194 | 10 | 2935 | 61 | 75 | 84 | 96 | 103 | 111 | 117 | 140 | 20 | 15 | 7A | 271/14 |

*** Ref to page 25

*** رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------|-----------|
| Outlet Pipe Dia. | 4 Inch | * قطر لوله خروجی | Check Valve | 3-11 Inch | رزه سوپاپ |
|------------------|--------|------------------|-------------|-----------|-----------|

KGT: تأمین کننده محصولات صنعتی معتبر



| وزن کل Total Weight (kg) | قطر جابه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m³/h) | | | | | | آبدهی | | * توان نامی Nom. Power | | موتور Motor | بمب Pump | | |
|--------------------------------|-------------------------------|---------------------------------|-----------------|------|------|-----|-----|-----|--------|------|---------------------------|-----------------|----------------|-------------|-----|-----------------|
| | | | 75 | 40 | 16* | 30 | 25 | 0 | HP | kW | | | | | | |
| | | | Head (m) | | | | | | ارتفاع | | | | | | | |
| 106 | 10 | 1320 | 9 | 12 | 13 | 15 | 16 | 16 | 5 | 3.7 | 6E | 275/1s(125/121) | | | | |
| 106 | 10 | 1320 | 9 | 12 | 14 | 16 | 17 | 19 | 5 | 3.7 | 6E | 275/1 | | | | |
| 123 | 10 | 1315 | 18 | 23 | 27 | 31 | 23 | 36 | 7.5 | 5.5 | 6E | 275/2a(125/121) | | | | |
| 123 | 10 | 1590 | 18 | 25 | 28 | 33 | 34 | 38 | 10 | 7.5 | 6E | 275/3 | | | | |
| 147 | 10 | 1635 | 25 | 35 | 40 | 46 | 48 | 54 | 12.5 | 9.2 | 7A | 275/3a(125/121) | | | | |
| 167 | 10 | 1725 | 27 | 37 | 42 | 50 | 51 | 67 | 15 | 11 | 7A | 275/3 | | | | |
| 167 | 10 | 1880 | 35 | 47 | 53 | 62 | 63 | 72 | 15 | 11 | 7A | 275/4a(125/121) | | | | |
| 178 | 10 | 1880 | 37 | 50 | 56 | 67 | 63 | 76 | 16 | 13 | 7A | 275/4 | | | | |
| 183 | 10 | 1820 | 44 | 50 | 66 | 77 | 79 | 90 | 18 | 13 | 7A | 275/5a(125/121) | | | | |
| 214 | 10 | 2120 | 46 | 62 | 70 | 83 | 86 | 95 | 25 | 18.5 | 7A | 275/5 | | | | |
| 214 | 10 | 2240 | 55 | 74 | 85 | 100 | 103 | 114 | 25 | 18.5 | 7A | 275/6 | | | | |
| 230 | 10 | 2405 | 64 | 87 | 95 | 117 | 120 | 133 | 30 | 22 | 7A | 275/7 | | | | |
| 330 | 313 | 12 | 10 | 2670 | 2950 | 73 | 99 | 113 | 133 | 137 | 152 | 41 | 30 | 9A | 8A | 275/8 |
| 329 | 308 | 12 | 10 | 2770 | 2010 | 79 | 105 | 119 | 135 | 144 | 171 | 41 | 30 | 9A | 8A | 275/9a(125/121) |
| 340 | 323 | 12 | 10 | 2790 | 3010 | 82 | 111 | 127 | 155 | 164 | 190 | 41 | 30 | 9A | 8A | 275/9 |
| 372 | 350 | 12 | 10 | 3005 | 3265 | 92 | 124 | 141 | 166 | 171 | 209 | 50 | 37 | 9A | 8A | 275/10 |
| 382 | 360 | 12 | 10 | 3120 | 3380 | 101 | 136 | 153 | 183 | 188 | 225 | 50 | 37 | 9A | 8A | 275/11 |
| 404 | 387 | 12 | 10 | 3340 | 3670 | 110 | 149 | 169 | 200 | 205 | 247 | 62 | 45.5 | 9A | 8A | 275/12 |
| 414 | 397 | 12 | 10 | 3480 | 3790 | 119 | 161 | 183 | 210 | 222 | 266 | 62 | 45.5 | 9A | 8A | 275/13 |
| 424 | 457 | 12 | 10 | 3580 | 3910 | 136 | 176 | 197 | 233 | 240 | 285 | 62 | 45.5 | 9A | 8A | 275/14 |
| 451 | 457 | 12 | 10 | 3765 | 4245 | 137 | 186 | 211 | 230 | 257 | 304 | 75 | 55 | 9A | 8A | 275/15 |
| 461 | 467 | 12 | 10 | 3860 | 4360 | 146 | 198 | 226 | 266 | 274 | 323 | 75 | 55 | 9A | 8A | 275/16 |
| 471 | 477 | 12 | 10 | 4000 | 4200 | 188 | 210 | 240 | 283 | 231 | 342 | 75 | 55 | 9A | 8A | 275/17 |
| 486 | 501 | 12 | 10 | 4120 | 4200 | 165 | 223 | 254 | 280 | 308 | 361 | 85 | 62.5 | 9B | 9A | 275/18 |
| 496 | 511 | 12 | 10 | 4250 | 4230 | 174 | 235 | 265 | 316 | 325 | 390 | 95 | 62.5 | 9B | 9A | 275/19 |
| 536 | 521 | 12 | 10 | 4560 | 4660 | 183 | 260 | 262 | 333 | 345 | 399 | 95 | 62.5 | 9A | 9A | 275/20 |
| 536 | 558 | 12 | 10 | 4690 | 4690 | 102 | 200 | 296 | 330 | 359 | 415 | 100 | 73.5 | 9B | 9A | 275/21 |
| 556 | 568 | 12 | 10 | 4710 | 4810 | 201 | 272 | 310 | 366 | 376 | 437 | 100 | 73.5 | 9B | 9A | 275/22 |
| 556 | 578 | 12 | 10 | 4830 | 4930 | 211 | 255 | 324 | 338 | 394 | 456 | 150 | 73.5 | 9B | 9A | 275/23 |
| 556 | 528 | 12 | 10 | 5050 | 4930 | 221 | 298 | 338 | 380 | 412 | 475 | 125 | 92 | 9B | 10A | 275/24 |
| 598 | 539 | 12 | 10 | 5105 | 5115 | 221 | 311 | 332 | 417 | 430 | 494 | 125 | 92 | 9B | 10A | 275/25 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 4 Inch * قطر لوله خروجی 16 Check Valve 4-11 Inch رزوه سوپاپ KGT: تأمین کننده محصولات صنعتی معتبر



| * وزن کل Total Weight (kg) | قطر جابه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m³/h) | | | | | | آبدهی | | * توان نامی Nom. Power | | موتور Motor | بمب Pump | | | |
|----------------------------------|-------------------------------|---------------------------------|-----------------|-------|------|-----|-------|-----|--------|-------|---------------------------|-------|----------------|-------------|-------|--------|--------|
| | | | 65 | 50 | 50 | 14* | 40 | 20 | 0 | HP | kW | | | | | | |
| | | | Head (m) | | | | | | ارتفاع | | | | | | | | |
| 104 | 10 | 1580 | 22 | 29 | 32 | 34 | 37 | 38 | 40.5 | 10 | 7.5 | 6E | 293/2 | | | | |
| 159 | 10 | 1650 | 33 | 43.5 | 48 | 51 | 55.5 | 57 | 61 | 15 | 3.7 | 7A | 293/3 | | | | |
| 157 | 10 | 1815 | 44 | 58 | 64 | 56 | 74 | 76 | 61 | 75 | 5.5 | 6E | 293/4 | | | | |
| 178 | 10 | 1960 | 55 | 72.5 | 68 | 88 | 92.5 | 95 | 101 | 25 | 18.5 | 6E | 293/5 | | | | |
| 190 | 10 | 2075 | 66 | 87 | 95 | 102 | 111 | 114 | 121.5 | 30 | 22 | 7A | 293/6 | | | | |
| 196 | 10 | 2140 | 72 | 97 | 107 | 113 | 121 | 125 | 131 | 30 | 22 | 7A | 293/7a(126) | | | | |
| 243 | 10 | 2360 | 77 | 101.5 | 112 | 119 | 129.5 | 143 | 142 | 24.5 | 8A | 9A | 293/7 | | | | |
| 274 | 274 | 10 | 12 | 2660 | 2240 | 86 | 116 | 128 | 136 | 148 | 152 | 41 | 8A | 9A | 293/8 | | |
| 290 | 297 | 10 | 12 | 2685 | 2405 | 99 | 130.5 | 146 | 153 | 165.5 | 171 | 182 | 41 | 3A | 9A | 293/9 | |
| 303 | 325 | 10 | 12 | 2880 | 2470 | 110 | 145 | 160 | 176 | 188 | 199 | 202.5 | 60 | 37 | 7A | 293/10 | |
| 309 | 331 | 10 | 12 | 2995 | 2835 | 121 | 188.5 | 176 | 197 | 203.5 | 200 | 223 | 60 | 13 | 7A | 293/11 | |
| 342 | 389 | 10 | 10 | 3130 | 2900 | 132 | 174 | 192 | 204 | 222 | 228 | 243 | 65 | 18 | 7A | 193/12 | |
| 388 | 382 | 10 | 12 | 3415 | 2935 | 145 | 188.5 | 203 | 221 | 240.5 | 247 | 263 | 75 | 18.5 | 7A | 293/13 | |
| 394 | 388 | 10 | 12 | 3440 | 3000 | 184 | 203 | 224 | 238 | 239 | 264 | 288.5 | 75 | 18.5 | 7A | 193/14 | |
| 400 | 394 | 10 | 12 | 3545 | 3305 | 195 | 217.5 | 240 | 258 | 277.5 | 285 | 304 | 75 | 18.5 | 7A | 293/15 | |
| 411 | 426 | 12 | 10 | 3385 | 3275 | 176 | 232 | 256 | 272 | 296 | 304 | 334 | 30 | 22 | 7A | 293/16 | |
| 417 | 432 | 12 | 10 | 3270 | 3560 | 187 | 246.5 | 272 | 288 | 314.5 | 323 | 344 | 30 | 22 | 7A | 293/17 | |
| 440 | 462 | 12 | 10 | 3450 | 3690 | 198 | 261 | 298 | 306 | 333.3 | 342 | 364.5 | 30 | 22 | 7A | 293/18 | |
| 454 | 468 | 12 | 10 | 3570 | 3610 | 220 | 275.5 | 304 | 320 | 331.5 | 361 | 385 | 30 | 32 | 7A | 293/19 | |
| 452 | 474 | 12 | 10 | 3670 | 3870 | 220 | 290 | 320 | 340 | 368.5 | 380 | 405 | 33 | 24.5 | 8A | 193/20 | |
| 458 | 480 | 12 | 10 | 3630 | 3730 | 231 | 304.5 | 336 | 357 | 388.5 | 399 | 425 | 41 | 30 | 8A | 9A | 293/21 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 2 1/2 Inch * قطر لوله خروجی 16 Check Valve 2-11 Inch رزوه سوپاپ KGT: تمامی محصولات مطابق با استانداردهای KGT تأمین می‌شوند



| وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | | طول کلی Total Length (mm) | | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | بمب Pump |
|--------------------------------|------------------------------|----|---------------------------------|------|------------------------------|-------|------|-------|--------|-----|-------|-------|---------------------------|------|----------------|-----------------|-----------------|
| | | | | | 140 | 120 | 100* | 90 | 80 | 60 | 0 | HP | kW | | | | |
| | | | | | Head (m) | | | | ارتفاع | | | | | | | | |
| 154 | 10 | | 1775 | | 21 | 30 | 37 | 40 | 42 | 45 | 55 | 20 | 15 | 7A | | 384/2 | |
| 180 | 10 | | 1995 | | 22 | 32 | 43.5 | 48 | 51 | 55 | 70.5 | 25 | 18.5 | 7A | | 384/3a(131/127) | |
| 233 | 280 | 10 | 12 | 2200 | 2110 | 31.5 | 45 | 55.5 | 60 | 63 | 67.5 | 82.5 | 33 | 24.5 | 9A | 9A | 384/3 |
| 269 | 286 | 10 | 12 | 2600 | 2320 | 35 | 52 | 66 | 72 | 76 | 82 | 100 | 41 | 30 | 9A | 9A | 384/4a(136/132) |
| 269 | 286 | 10 | 12 | 2600 | 2320 | 42 | 60 | 74 | 80 | 84 | 90 | 110 | 41 | 30 | 9A | 9A | 384/4 |
| 297 | 319 | 10 | 12 | 2820 | 2560 | 52.5 | 75 | 92.5 | 100 | 105 | 112.5 | 137.5 | 50 | 37 | 9A | 9A | 384/5 |
| 335 | 332 | 10 | 12 | 3130 | 2800 | 63 | 90 | 111 | 120 | 126 | 135 | 165 | 62 | 45.5 | 9A | 9A | 384/6 |
| 375 | 369 | 10 | 12 | 3490 | 3010 | 73.5 | 105 | 129.5 | 140 | 147 | 157.5 | 192.5 | 75 | 55 | 9A | 9A | 384/7 |
| 324 | 411 | 12 | | 3100 | 3230 | 94 | 120 | 145 | 160 | 189 | 180 | 220 | 85 | 62.5 | 9B | 9A | 384/8 |
| 424 | 486 | 12 | | 3410 | 3310 | 94.5 | 135 | 166.5 | 180 | 189 | 202.5 | 247.5 | 100 | 73.5 | 9B | 9A | 384/9 |
| 446 | 486 | 12 | | 3930 | 3790 | 105 | 150 | 185 | 200 | 210 | 225 | 275 | 100 | 73.5 | 9B | 9A | 384/10 |
| 479 | 520 | 12 | | 3980 | 3880 | 111.5 | 165 | 203.5 | 220 | 231 | 247.5 | 302.5 | 125 | 92 | 9B | 10A | 384/11 |
| 430 | 531 | 12 | | 4070 | 4020 | 126 | 180 | 222 | 240 | 252 | 270 | 330 | 125 | 92 | 9B | 10A | 384/12 |
| 523 | 567 | 12 | | 4220 | 4140 | 136.5 | 195 | 240.5 | 260 | 273 | 292.5 | 357.5 | 150 | 110 | 9B | 10A | 384/13 |
| 545 | 598 | 12 | | 4600 | 4420 | 147 | 210 | 259 | 280 | 294 | 315 | 395 | 150 | 110 | 9B | 10A | 384/14 |
| 776 | 803 | 12 | 14 | 4660 | 4715 | 157.5 | 225 | 277.5 | 300 | 315 | 337.5 | 412.5 | 177 | 130 | 10A | 10A | 384/15 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 6 Inch * قطر لوله خروجی * Check Valve 5-11 Inch رزوه سوپاپ

KGT: تأمین کننده محصولات صنعتی معتبر



| وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | | طول کلی Total Length (mm) | | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | بمب Pump | |
|--------------------------------|------------------------------|----|---------------------------------|------|------------------------------|-------|-------|------|--------|-------|-------|-------|---------------------------|------|----------------|--------|-----------------|------------------|
| | | | | | 180 | 160 | 140 | 120* | 100 | 80 | 60 | 0 | HP | kW | | | | |
| | | | | | Head (m) | | | | ارتفاع | | | | | | | | | |
| 149 | 10 | | 1630 | | 14.5 | 18.5 | 22 | 24 | 26 | 27 | 28 | 32 | 18 | 13 | 7A | | 374/1 | |
| 249 | 276 | 10 | 12 | 2180 | 2065 | 29 | 37 | 44 | 48 | 52 | 54 | 64 | 33 | 24.5 | 8A | 9A | 374/2 | |
| 312 | 334 | 10 | 12 | 2640 | 2380 | 37.5 | 49.5 | 58.5 | 69 | 73.5 | 76.5 | 90 | 50 | 37 | 8A | 9A | 374/2a(152/144) | |
| 312 | 334 | 10 | 12 | 2240 | 2380 | 43.5 | 55.5 | 66 | 72 | 78 | 81 | 84 | 96 | 50 | 37 | 8A | 9A | 374/3 |
| 355 | 372 | 10 | 12 | 2950 | 2620 | 54.5 | 70 | 84 | 94.5 | 102 | 104 | 109 | 124 | 62 | 45.5 | 8A | 9A | 374/4a(152/147) |
| 411 | 405 | 10 | 12 | 3310 | 2830 | 68.5 | 87.5 | 105 | 118.5 | 127.5 | 133.5 | 136.5 | 165 | 75 | 55 | 8A | 9A | 374/5a(152/147) |
| 411 | 405 | 10 | 12 | 3310 | 2820 | 72.5 | 92.5 | 110 | 130 | 130 | 135 | 140 | 160 | 75 | 55 | 8A | 9A | 374/5 |
| 426 | 441 | 12 | | 3300 | 3045 | 75 | 98 | 111 | 133 | 145 | 153 | 158 | 160 | 85 | 62.5 | 9B | 9A | 374/6a(142/144) |
| 443 | 465 | 12 | 12 | 3090 | 3190 | 87 | 111 | 132 | 144 | 156 | 162 | 168 | 192 | 100 | 73.5 | 9B | 9A | 374/6 |
| 459 | 481 | 12 | 12 | 3230 | 3330 | 87.5 | 117 | 140 | 155.5 | 170 | 178 | 184 | 210 | 100 | 73.5 | 9B | 9A | 374/7a(152/144) |
| 481 | 522 | 12 | 12 | 3330 | 3200 | 101.5 | 129.5 | 134 | 168 | 182 | 198 | 198 | 224 | 125 | 92 | 9B | 10A | 374/7 |
| 567 | 538 | 12 | 12 | 3470 | 3420 | 116 | 148 | 176 | 192 | 208 | 216 | 224 | 280 | 125 | 92 | 9B | 10A | 374/8 |
| 562 | 606 | 12 | 12 | 3760 | 3640 | 130.5 | 166.5 | 198 | 216 | 224 | 243 | 252 | 280 | 150 | 110 | 9B | 10A | 374/9 |
| 795 | 825 | 12 | 12 | 3900 | 3780 | 197 | 175 | 218 | 237 | 255 | 263 | 273 | 310 | 150 | 110 | 9B | 10A | 374/15a(152/147) |
| 814 | 841 | 12 | 14 | 4200 | 4310 | 109.5 | 203.5 | 242 | 264 | 286 | 297 | 308 | 352 | 177 | 130 | 10A | 12A | 374/11 |
| 882 | 14 | | 4565 | | 174 | 222 | 264 | 288 | 312 | 324 | 336 | 384 | 284 | 150 | 12A | 374/12 | | |
| 898 | 14 | | 4705 | | 188.5 | 240.5 | 286 | 312 | 338 | 331 | 364 | 416 | 204 | 150 | 12A | 374/13 | | |
| 914 | 14 | | 4950 | | 203 | 259 | 308 | 336 | 364 | 378 | 392 | 446 | 252 | 185 | 12A | 374/14 | | |
| 960 | 14 | | 5085 | | 217.5 | 277.5 | 330 | 360 | 390 | 405 | 420 | 480 | 252 | 185 | 12A | 374/15 | | |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 8 Inch * قطر لوله خروجی * Check Valve 6-11 Inch رزوه سوپاپ

KGT: تأمین کننده محصولات صنعتی معتبر



| وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) آبدی | | | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | بمب Pump | |
|--------------------------------|------------------------------|---------------------------------|-----------------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|---------------------------|-----|----------------|-----|-------------|-----------------|
| | | | 240 | 220 | 200 | 180* | 160 | 140 | 120 | 100 | 0 | HP | kW | 8A | 9A | | | |
| | | | Head (m) ارتفاع | | | | | | | | | | | | | | | |
| 243 | 270 | 12 | 2072 | 1920 | 24 | 26.5 | 29 | 31 | 33.5 | 33 | 33.5 | 34 | 41.5 | 33 | 24.5 | 8A | 9A | 425/1 |
| 399 | 295 | 12 | 2120 | 2150 | 30 | 35 | 40 | 44 | 47 | 49.5 | 51 | 52 | 64 | 41 | 30 | 9B | 9A | 425/2a(155/147) |
| 310 | 327 | 12 | 2270 | 2150 | 30 | 44 | 49 | 52.5 | 55.5 | 57.5 | 58 | 59 | 71 | 50 | 37 | 9B | 9A | 425/2a(167/169) |
| 332 | 347 | 12 | 2270 | 2330 | 45 | 50.5 | 54.5 | 58.5 | 61.5 | 63.5 | 64 | 69 | 81 | 62 | 45.5 | 9B | 9A | 425/2a(179/169) |
| 331 | 366 | 12 | 2345 | 2430 | 48 | 53 | 58 | 62 | 65 | 66 | 67 | 66 | 85 | 75 | 55 | 9B | 9A | 425/2 |
| 371 | 386 | 12 | 2510 | 2580 | 55.5 | 63 | 70.5 | 75 | 80.5 | 84 | 85 | 86.5 | 107 | 75 | 55 | 9B | 9A | 425/3a(167/167) |
| 391 | 406 | 12 | 2890 | 2860 | 62.5 | 70.5 | 77 | 83 | 87 | 90 | 91.5 | 93 | 115 | 85 | 62.5 | 9B | 9A | 425/3a(170/163) |
| 408 | 430 | 12 | 2700 | 2880 | 92 | 79.5 | 87 | 93 | 97.5 | 99 | 102.5 | 102 | 124 | 100 | 73.5 | 9B | 9A | 425/3 |
| 428 | 450 | 12 | 2960 | 2960 | 74 | 84 | 94 | 101 | 107.5 | 112.5 | 112.5 | 115.5 | 145 | 100 | 73.5 | 9B | 9A | 425/4a(165/167) |
| 450 | 527 | 12 | 2960 | 2910 | 91 | 100.5 | 110 | 116 | 123 | 127 | 138.5 | 130 | 162 | 125 | 92 | 9B | 10A | 425/4a(173/165) |
| 450 | 527 | 12 | 2960 | 2910 | 96 | 106 | 116 | 124 | 130 | 132 | 134 | 136 | 170 | 150 | 110 | 9B | 10A | 425/4 |
| 503 | 547 | 12 | 3190 | 3190 | 104.5 | 117.5 | 128.5 | 188.5 | 145 | 180 | 152.5 | 185 | 192 | 150 | 110 | 9B | 10A | 425/5a(173/162) |
| 523 | 547 | 12 | 3270 | 3190 | 114 | 126.5 | 188 | 147 | 155 | 189 | 160.5 | 162.5 | 280 | 150 | 110 | 9B | 10A | 425/6a(173/163) |
| 523 | 567 | 12 | 3430 | 3330 | 119.5 | 127 | 142 | 155 | 154 | 171.5 | 171.5 | 176.5 | 219 | 150 | 110 | 9B | 10A | 425/6a(165/157) |
| 743 | 770 | 12 | 3480 | 3330 | 125 | 141 | 155 | 166 | 174 | 180 | 183 | 183 | 231 | 177 | 130 | 10A | 12A | 425/6a(170/163) |
| 795 | | 14 | 3600 | | 144 | 159 | 174 | 186 | 195 | 198 | 201 | 204 | 249 | 204 | 150 | | 12A | 425/6 |
| 845 | | 14 | 3760 | | 155 | 177 | 192.5 | 205.5 | 216.5 | 222.5 | 234.5 | 227.5 | 254 | 204 | 150 | | 12A | 425/7a(173/163) |
| 845 | | 14 | 3860 | | 185 | 188.5 | 203 | 217 | 227.5 | 231 | 234.5 | 239 | 251 | 252 | 185 | | 12A | 425/7 |
| 885 | | 14 | 4020 | | 184 | 192 | 216 | 232 | 240 | 249.5 | 255 | 260 | 330 | 232 | 185 | | 12A | 425/8a(173/163) |
| 916 | 1290 | 14 | 4070 | 4200 | 192 | 212 | 232 | 248 | 260 | 294 | 268 | 372 | 332 | 300 | 220 | 12B | 14B | 425/9 |
| 976 | 1310 | 14 | 4230 | 4360 | 216 | 238.5 | 261 | 279 | 292.5 | 297 | 301.5 | 306 | 378 | 300 | 220 | 12B | 14B | 425/9 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------|-----------|
| Outlet Pipe Dia. | 6 Inch | * قطر لوله خروجی | Check Valve | 6-11 Inch | رزه سوپاپ |
|------------------|--------|------------------|-------------|-----------|-----------|

KGT: تأمین کننده محصولات صنعتی معتبر



| * وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) آبدی | | | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | بمب Pump |
|----------------------------------|------------------------------|---------------------------------|-----------------------------------|------|-------|-------|-------|------|-------|-------|-------|-------|---------------------------|------|----------------|-----|-----------------|
| | | | 330 | 300 | 240 | 210* | 180 | 150 | 120 | 0 | HP | kW | 9B | 9A | | | |
| | | | Head (m) ارتفاع | | | | | | | | | | | | | | |
| 309 | 315 | 12 | 1990 | 2020 | 17 | 21 | 28 | 32 | 34 | 35 | 37 | 41 | 41 | 30 | 9B | 9A | 435/1a(177/171) |
| 330 | 337 | 12 | 2040 | 2120 | 25 | 29 | 33 | 38 | 40 | 41 | 42 | 47.5 | 50 | 37 | 9B | 9A | 435/1 |
| 370 | 337 | 12 | 2300 | 2380 | 28 | 38 | 44 | 56 | 60 | 64 | 66 | 76 | 62 | 42.5 | 9B | 9A | 435/2a(167/161) |
| 389 | 404 | 12 | 2380 | 2380 | 36 | 46 | 59.5 | 66.5 | 69.5 | 72 | 74.5 | 83 | 75 | 55 | 9B | 9A | 435/2a(176/172) |
| 409 | 424 | 12 | 2480 | 2530 | 44 | 53 | 67 | 72.5 | 74.5 | 77.5 | 79 | 90 | 85 | 62.5 | 9B | 9A | 435/2a(185/179) |
| 426 | 448 | 12 | 2575 | 2675 | 50 | 58 | 72 | 76 | 80 | 82 | 84 | 95 | 100 | 73.5 | 9B | 9A | 435/2 |
| 464 | 476 | 12 | 2740 | 2840 | 42 | 54 | 75 | 84 | 90 | 98 | 99 | 114 | 100 | 72.5 | 9B | 9A | 435/3a(177/166) |
| 476 | 517 | 12 | 2840 | 2790 | 51 | 63 | 84 | 96 | 102 | 105 | 111 | 123 | 125 | 92 | 9B | 10A | 435/3a(177/171) |
| 476 | 517 | 10 | 2840 | 2790 | 64 | 79.5 | 109.5 | 109 | 112 | 116 | 118.5 | 135 | 135 | 92 | 9B | 10A | 435/3a(185/179) |
| 509 | 553 | 12 | 2990 | 2915 | 75 | 87 | 108 | 114 | 120 | 123 | 125 | 142.5 | 150 | 110 | 9B | 10A | 435/3 |
| 557 | 581 | 12 | 2155 | 2050 | 88 | 84 | 112 | 138 | 136 | 140 | 148 | 164 | 150 | 110 | 9B | 10A | 435/4a(177/171) |
| 787 | 784 | 12 | 3180 | 2380 | 82 | 98 | 127.5 | 139 | 146 | 150 | 154 | 176 | 177 | 130 | 10A | 12A | 435/4a(183/177) |
| 809 | | 14 | 3350 | | 100 | 116 | 144 | 152 | 160 | 164 | 168 | 190 | 204 | 150 | | 12A | 435/4 |
| 837 | | 14 | 3515 | | 102.5 | 122.5 | 159.5 | 174 | 182.5 | 187.5 | 192.5 | 220 | 204 | 150 | | 12A | 435/5a(183/177) |
| 867 | | 14 | 3515 | | 145 | 145 | 180 | 190 | 200 | 205 | 210 | 237.5 | 252 | 185 | | 12A | 435/5 |
| 916 | 1250 | 14 | 3830 | 4010 | 150 | 174 | 216 | 228 | 240 | 246 | 252 | 285 | 300 | 220 | 12B | 14B | 435/6 |
| 944 | 1278 | 14 | 3995 | 4175 | 143.5 | 171.5 | 223 | 243 | 245.5 | 262.5 | 262.5 | 308 | 300 | 220 | 12B | 14B | 435/7a(183/177) |
| 1500 | | 16 | 4875 | | 220 | 231 | 324 | 342 | 360 | 369 | 378 | 427.5 | 476 | 350 | | 14B | 435/9 |
| 1528 | | 16 | 5040 | | 250 | 290 | 360 | 380 | 400 | 410 | 420 | 475 | 476 | 350 | | 14B | 435/10 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------|-----------|
| Outlet Pipe Dia. | 8 Inch | * قطر لوله خروجی | Check Valve | 6-11 Inch | رزه سوپاپ |
|------------------|--------|------------------|-------------|-----------|-----------|

KGT: تأمین کننده محصولات صنعتی معتبر

| # وزن کل Total Weight (kg) | قطر چاه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | پمپ Pump | | | |
|----------------------------------|------------------------------|---------------------------------|------------------------------|------|------|-----|------|-----|-------|-------|---------------------------|-------|----------------|------|-------------|-----|-----------------|-----------------|
| | | | آبدی | | | | | | | | HP | kW | 9B | 9A | | | | |
| | | | 450 | 400 | 350* | 300 | 250 | 200 | 150 | 0 | | | | | | | | |
| | | | Head (m) | | | | | | | | ارتفاع | | | | | | | |
| 338 | 344 | 12 | 1970 | 2000 | - | 16 | 22 | 26 | 29 | 31 | 33.5 | 41 | 41 | 30 | 9B | 9A | 466/1a(179/170) | |
| 349 | 366 | 12 | 2000 | 2100 | - | 20 | 25 | 30 | 33 | 34 | 38 | 44 | 30 | 37 | 9B | 9A | 466/1a(185/176) | |
| 349 | 366 | 12 | 2010 | 2100 | 1R | 74 | 30 | 34 | 36 | 37 | 40 | 47 | 50 | 37 | 9B | 9A | 466/1a(191/182) | |
| 371 | 388 | 12 | 2120 | 2200 | | 23 | 33 | 34 | 39 | 39 | 40 | 43 | 50 | 62 | 45.5 | 9B | 9A | 466/1a(191/188) |
| 390 | 405 | 12 | 2200 | 2270 | | 32 | 37 | 42 | 44 | 45 | 47 | 50 | 56 | 75 | 55 | 9B | 9A | 466/1 |
| 442 | 457 | 12 | 2450 | 2530 | - | 32 | 44 | 52 | 58 | 62 | 67.5 | 82 | 85 | 62.5 | 9B | 9A | 466/2a(179/170) | |
| 459 | 481 | 12 | 2570 | 2670 | - | 40 | 50 | 60 | 66 | 66 | 78 | 86 | 100 | 73.5 | 9B | 9A | 466/2a(185/178) | |
| 481 | 522 | 12 | 2670 | 2620 | 36 | 48 | 60 | 68 | 72 | 74 | 80 | 94 | 125 | 92 | 9B | 10A | 466/2a(191/182) | |
| 481 | 522 | 12 | 2670 | 2620 | 46 | 58 | 68 | 72 | 78 | 80 | 86 | 100 | 125 | 92 | 9B | 10A | 466/2a(193/188) | |
| 514 | 558 | 12 | 2820 | 2740 | 64 | 63 | 74.5 | 80 | 83.5 | 86.5 | 91.5 | 100 | 150 | 110 | 9B | 10A | 466/2a(203/194) | |
| 514 | 558 | 12 | 2820 | 2740 | 69 | 74 | 84 | 88 | 90 | 94 | 100 | 172 | 150 | 110 | 9B | 10A | 466/2 | |
| 766 | 793 | 12 | 14 | 2575 | 3710 | 69 | 87 | 112 | 114 | 117 | 120 | 135 | 150 | 177 | 130 | 12A | 12A | 466/3a(197/188) |
| 818 | | 14 | | 3180 | | 79 | 99 | 112 | 122.5 | 123.5 | 145 | 135 | 172 | 204 | 158 | 12A | | 466/3a(203/194) |
| 848 | | 14 | | 3280 | | 99 | 111 | 126 | 132 | 135 | 141 | 150 | 168 | 252 | 185 | 12A | | 466/3 |
| 901 | 1235 | 14 | 16 | 3505 | 3635 | 128 | 148 | 168 | 176 | 180 | 188 | 200 | 224 | 300 | 220 | 12B | 14B | 466/4 |
| 933 | 1267 | 14 | 16 | 3780 | 3810 | 115 | 145 | 170 | 190 | 195 | 200 | 215 | 250 | 300 | 220 | 12B | 14B | 466/5a(197/188) |
| 1337 | | 16 | | 3930 | | 132 | 163 | 190 | 202 | 212 | 225 | 236.5 | 275 | 354 | 260 | 14B | | 466/5a(207/197) |

* * * Ref to page 25

* * * رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------|------------|
| Outlet Pipe Dia. | 8 Inch | * قطر لوله خروجی | Check Valve | 8-10 Inch | رزوه سوپاپ |
|------------------|--------|------------------|-------------|-----------|------------|

KGT: تامین کننده محصولات صنعتی معتبر

| # وزن کل Total Weight (kg) | قطر چاه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | | * توان نامی Nom. Power | | موتور Motor | | پمپ Pump | | | | | |
|----------------------------------|------------------------------|---------------------------------|------------------------------|------|------|-----|-----|-----|-----|-----|---------------------------|-----|----------------|-----|-------------|------|-----|-----|-----------------|-----------------|
| | | | آبدی | | | | | | | | HP | kW | 9B | 9A | | | | | | |
| | | | 580 | 540 | 500* | 460 | 420 | 380 | 340 | 300 | | | | | | 260 | 0 | | | |
| | | | Head (m) | | | | | | | | ارتفاع | | | | | | | | | |
| 374 | 389 | 14 | 2400 | 2470 | - | 26 | 30 | 34 | 37 | 39 | 41 | 43 | 44 | 55 | 75 | 55 | 9B | 9A | 486/1a(201/191) | |
| 374 | 474 | 14 | 2480 | 2550 | 28 | 32 | 35 | 39 | 41 | 44 | 46 | 47 | 49 | 60 | 85 | 62.5 | 9B | 9A | 486/1a(214/204) | |
| 411 | 433 | 14 | 2590 | 2640 | 32 | 36 | 40 | 43 | 46 | 48 | 50 | 51 | 52 | 65 | 100 | 73.5 | 9B | 9A | 486/1a(221/211) | |
| 433 | 474 | 14 | 2590 | 2640 | 37 | 42 | 45 | 47 | 50 | 53 | 54 | 55 | 56 | 70 | 125 | 92 | 9B | 10A | 486/1a(228/218) | |
| 433 | 474 | 14 | 2690 | 2640 | 43 | 46 | 50 | 53 | 55 | 66 | 69 | 60 | 61 | 75 | 125 | 92 | 9B | 10A | 486/1 | |
| 504 | 548 | 14 | 3040 | 2960 | - | 34 | 64 | 60 | 58 | 63 | 88 | 72 | 75 | 89 | 150 | 110 | 9B | 10A | 486/2a(198/188) | |
| 504 | 548 | 14 | 3040 | 2960 | - | 52 | 60 | 68 | 74 | 78 | 82 | 88 | 88 | 110 | 150 | 110 | 9B | 12A | 486/2a(206/198) | |
| 724 | 751 | 14 | 3110 | 3165 | 56 | 64 | 70 | 78 | 82 | 88 | 92 | 94 | 88 | 120 | 177 | 130 | 10A | 12A | 486/2a(208/198) | |
| 806 | | 14 | | 3333 | | 56 | 92 | 100 | 129 | 110 | 112 | 116 | 120 | 122 | 190 | 252 | 135 | 12A | | 486/2 |
| 865 | 1199 | 14 | 16 | 3660 | 3790 | 96 | 108 | 126 | 129 | 138 | 144 | 150 | 153 | 153 | 195 | 300 | 220 | 12B | 14B | 486/3a(221/211) |
| 1269 | | 16 | | 3910 | | 116 | 116 | 136 | 144 | 153 | 158 | 162 | 166 | 169 | 229 | 354 | 260 | 14B | | 486/3a(233/223) |
| 1441 | | 16 | | 4260 | | 134 | 147 | 161 | 172 | 182 | 192 | 200 | 202 | 203 | 268 | 408 | 300 | 14B | | 486/4a(224/214) |
| 1441 | | 16 | | 4460 | | 137 | 150 | 164 | 175 | 186 | 200 | 210 | 217 | 223 | 285 | 408 | 300 | 14B | | 486/6a(211/201) |
| 1505 | | 16 | | 4560 | | 150 | 169 | 186 | 196 | 210 | 220 | 230 | 235 | 240 | 308 | 476 | 350 | 14B | | 486/6a(219/200) |

* * * Ref to page 25

* * * رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|---------|------------------|-------------|-----------|------------|
| Outlet Pipe Dia. | 10 Inch | * قطر لوله خروجی | Check Valve | 8-10 Inch | رزوه سوپاپ |
|------------------|---------|------------------|-------------|-----------|------------|

KGT: تامین کننده محصولات صنعتی معتبر

| وزن کل Total Weight (kg) | قطر چاه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump | | | | |
|--------------------------------|------------------------------|---------------------------------|------------------------------|------|------|-----|-----|-----|-----|---------------------------|------|----------------|-----------------|------|----|-----|------------------|
| | | | 110 | 90 | 70* | 55 | 40 | 30 | 0 | HP | kW | | | | | | |
| | | | Head (m) | | | | | | | ارتفاع | | | | | | | |
| 128 | 10 | 1590 | 10 | 23 | 27 | 30 | 32 | 34 | 38 | 10 | 7.5 | 6E | 277/2a(127/123) | | | | |
| 147 | 10 | 1520 | 17 | 24 | 30 | 33 | 36 | 37 | 41 | 12.5 | 9.2 | 7A | 277/2 | | | | |
| 167 | 10 | 1705 | 24 | 34 | 41 | 45 | 49 | 51 | 57 | 15 | 11 | 7A | 277/3a(127/123) | | | | |
| 179 | 10 | 1805 | 27 | 37 | 45 | 50 | 54 | 58 | 61 | 20 | 15 | 7A | 277/3 | | | | |
| 189 | 10 | 1920 | 32 | 45 | 55 | 68 | 65 | 66 | 76 | 20 | 15 | 7A | 277/4a(127/123) | | | | |
| 204 | 10 | 2000 | 34 | 45 | 61 | 67 | 72 | 74 | 81 | 25 | 18.5 | 7A | 277/4 | | | | |
| 284 | 287 | 12 | 10 | 2240 | 2390 | 40 | 61 | 76 | 84 | 90 | 93 | 101 | 33 | 24.5 | 6A | 8A | 277/5 |
| 310 | 293 | 12 | 10 | 2445 | 2715 | 48 | 73 | 91 | 100 | 108 | 112 | 122 | 41 | 30 | 9A | 8A | 277/6 |
| 320 | 303 | 12 | 10 | 2550 | 2830 | 55 | 76 | 96 | 106 | 114 | 119 | 95 | 41 | 30 | 9A | 8A | 277/7a(127/123) |
| 330 | 303 | 12 | 10 | 2530 | 2830 | 56 | 86 | 106 | 117 | 136 | 130 | 142 | 41 | 30 | 9A | 8A | 277/7 |
| 330 | 313 | 12 | 10 | 2770 | 2950 | 64 | 90 | 110 | 121 | 130 | 145 | 152 | 41 | 30 | 9A | 8A | 277/8a(127/123) |
| 332 | 330 | 12 | 10 | 2770 | 3990 | 64 | 98 | 121 | 134 | 144 | 149 | 162 | 50 | 37 | 9A | 8A | 277/8 |
| 384 | 367 | 12 | 10 | 2990 | 3320 | 72 | 110 | 127 | 131 | 182 | 188 | 182 | 62 | 45.5 | 9A | 8A | 277/9 |
| 394 | 377 | 12 | 10 | 3195 | 3435 | 80 | 122 | 125 | 187 | 179 | 186 | 203 | 62 | 45.5 | 9A | 8A | 277/10 |
| 421 | 422 | 12 | 10 | 3295 | 3775 | 88 | 135 | 167 | 184 | 187 | 205 | 223 | 75 | 55 | 9A | 8A | 277/11 |
| 441 | 447 | 12 | 10 | 3350 | 4010 | 109 | 147 | 178 | 186 | 211 | 220 | 240 | 75 | 55 | 9A | 8A | 277/15a(127/123) |
| 431 | 437 | 12 | 10 | 3410 | 3990 | 96 | 151 | 185 | 201 | 215 | 223 | 244 | 75 | 55 | 9A | 8A | 277/12 |
| 446 | 461 | 12 | 10 | 3540 | 3610 | 104 | 133 | 197 | 218 | 233 | 242 | 264 | 85 | 62.5 | 9B | 9A | 277/13 |
| 456 | 481 | 12 | 10 | 3775 | 3845 | 119 | 169 | 206 | 225 | 249 | 254 | 272 | 84 | 62.5 | 9B | 9A | 277/15a(127/123) |
| 456 | 471 | 12 | 10 | 3660 | 3730 | 112 | 171 | 212 | 224 | 281 | 281 | 284 | 85 | 62.5 | 9B | 9A | 277/14 |
| 483 | 503 | 12 | 10 | 3865 | 3985 | 120 | 184 | 228 | 251 | 289 | 279 | 305 | 100 | 73.5 | 9B | 9A | 277/15 |
| 483 | 515 | 12 | 10 | 4000 | 4100 | 128 | 196 | 245 | 268 | 287 | 298 | 325 | 100 | 73.5 | 9B | 9A | 277/16 |
| 503 | 535 | 12 | 10 | 4120 | 4220 | 136 | 208 | 258 | 285 | 305 | 315 | 345 | 100 | 73.5 | 9B | 9A | 277/17 |
| 594 | 535 | 12 | 10 | 4590 | 4340 | 144 | 220 | 273 | 301 | 333 | 335 | 366 | 125 | 92 | 9B | 10A | 277/18 |
| 504 | 545 | 12 | 10 | 4510 | 4450 | 152 | 233 | 285 | 318 | 341 | 354 | 386 | 125 | 92 | 9B | 10A | 277/19 |
| 514 | 555 | 12 | 10 | 4625 | 4575 | 160 | 245 | 304 | 333 | 389 | 372 | 406 | 125 | 92 | 9B | 10A | 277/20 |
| 564 | 608 | 12 | 10 | 5010 | 4960 | 176 | 289 | 334 | 368 | 395 | 410 | 426 | 150 | 110 | 9B | 10A | 277/22 |
| 584 | 688 | 12 | 10 | 5290 | 5200 | 192 | 294 | 364 | 402 | 481 | 467 | 463 | 150 | 110 | 9B | 10A | 277/24 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 4 Inch قطر لوله خروجی *

KGT: تأمین کننده محصولات صنعتی معتبر

| وزن کل Total Weight (kg) | قطر چاه Well Dia. (in) | طول کلی Total Length (mm) | Capacity (m ³ /h) | | | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump | | | | | |
|--------------------------------|------------------------------|---------------------------------|------------------------------|------|------|-----|-----|-----|-----|---------------------------|-----|----------------|-------------|-------|------|----|--------|--------|
| | | | 90 | 80 | 70 | 60* | 50 | 40 | 30 | 0 | HP | | | kW | | | | |
| | | | Head (m) | | | | | | | ارتفاع | | | | | | | | |
| 96 | 10 | 1320 | 6 | 10 | 12 | 14 | 16 | 17 | 19 | 21 | 5 | 3.7 | 6E | 335/1 | | | | |
| 119 | 10 | 1585 | 13 | 19 | 24 | 29 | 32 | 34 | 37 | 43 | 10 | 7.5 | 6E | 335/2 | | | | |
| 158 | 10 | 1705 | 19 | 29 | 37 | 43 | 48 | 52 | 66 | 65 | 15 | 11 | 7A | 335/3 | | | | |
| 181 | 10 | 1920 | 25 | 38 | 45 | 57 | 64 | 70 | 75 | 65 | 20 | 15 | 7A | 335/4 | | | | |
| 206 | 10 | 2120 | 32 | 45 | 61 | 72 | 60 | 87 | 93 | 107 | 25 | 15.5 | 7A | 335/5 | | | | |
| 223 | 10 | 2230 | 38 | 57 | 73 | 86 | 96 | 105 | 112 | 130 | 30 | 22 | 7A | 335/6 | | | | |
| 307 | 280 | 12 | 10 | 2480 | 2630 | 45 | 67 | 85 | 100 | 112 | 122 | 131 | 33 | 24.5 | 9A | 8A | 335/7 | |
| 340 | 323 | 12 | 10 | 2670 | 2949 | 51 | 77 | 98 | 115 | 128 | 140 | 150 | 41 | 30 | 9A | 8A | 335/8 | |
| 380 | 351 | 12 | 10 | 2790 | 3070 | 57 | 86 | 110 | 128 | 144 | 157 | 185 | 41 | 30 | 9A | 8A | 335/9 | |
| 380 | 358 | 12 | 10 | 3005 | 3265 | 64 | 96 | 122 | 145 | 176 | 175 | 187 | 50 | 37 | 9A | 8A | 335/10 | |
| 491 | 369 | 12 | 10 | 3140 | 3680 | 70 | 105 | 145 | 178 | 176 | 192 | 206 | 50 | 37 | 9A | 8A | 335/11 | |
| 442 | 425 | 12 | 10 | 3460 | 3790 | 85 | 115 | 155 | 186 | 209 | 227 | 245 | 62 | 45.5 | 9A | 8A | 335/12 | |
| 431 | 434 | 12 | 10 | 3380 | 3910 | 89 | 134 | 171 | 200 | 225 | 245 | 262 | 62 | 45.5 | 9A | 8A | 335/14 | |
| 487 | 453 | 12 | 10 | 3765 | 4245 | 95 | 144 | 183 | 215 | 241 | 262 | 280 | 75 | 55 | 9A | 8A | 335/15 | |
| 487 | 503 | 12 | 10 | 3380 | 4260 | 102 | 153 | 195 | 230 | 257 | 279 | 290 | 344 | 75 | 55 | 9A | 8A | 335/16 |
| 500 | 514 | 12 | 10 | 4000 | 4480 | 108 | 163 | 207 | 243 | 273 | 287 | 318 | 385 | 75 | 55 | 9A | 8A | 335/17 |
| 511 | 528 | 12 | 10 | 4130 | 4200 | 114 | 172 | 220 | 258 | 289 | 314 | 337 | 387 | 85 | 62.5 | 9A | 9A | 335/18 |
| 543 | 558 | 12 | 10 | 4250 | 4320 | 121 | 182 | 232 | 272 | 305 | 332 | 355 | 408 | 85 | 62.5 | 9B | 9A | 335/19 |
| 546 | 568 | 12 | 10 | 4340 | 4340 | 127 | 192 | 244 | 256 | 321 | 350 | 374 | 430 | 100 | 73.5 | 9B | 9A | 335/20 |
| 567 | 579 | 12 | 10 | 4360 | 4460 | 154 | 201 | 268 | 301 | 337 | 367 | 393 | 451 | 100 | 73.5 | 9B | 9A | 335/21 |
| 568 | 590 | 12 | 10 | 4475 | 4575 | 140 | 211 | 268 | 315 | 353 | 385 | 411 | 473 | 100 | 73.5 | 9B | 9A | 335/22 |
| 559 | 600 | 12 | 10 | 4980 | 4930 | 146 | 220 | 281 | 329 | 369 | 402 | 430 | 495 | 125 | 92 | 9B | 10A | 335/23 |
| 559 | 610 | 12 | 10 | 5100 | 5000 | 153 | 230 | 293 | 394 | 385 | 420 | 450 | 516 | 125 | 92 | 9B | 10A | 335/24 |

* Ref to page 25

* رجوع شود به صفحه ۲۵

Outlet Pipe Dia. 4 Inch قطر لوله خروجی *

Check Valve 4-11 Inch رزوه سوپاپ

KGT: تأمین کننده محصولات صنعتی معتبر

| * وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) آبدهی | | | | | | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump |
|----------------------------------|------------------------------|---------------------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|---------------------------|----|----------------|-------------|
| | | | 13 | 12 | 11 | 10 | 9* | 8 | 7 | 6 | 0 | HP | kW | | | |
| | | | Head (m) ارتفاع | | | | | | | | | | | | | |
| 60 | 8 | 1250 | 26 | 30 | 32 | 33 | 34 | 35 | 37 | 38 | 48 | 2 | 1.5 | 6C | 152/4 | |
| 67 | 8 | 1365 | 37 | 45 | 47 | 49 | 50 | 52 | 55 | 57 | 71 | 3 | 2.2 | 6C | 152/6 | |
| 76 | 8 | 1530 | 60 | 66 | 68 | 70 | 74 | 76 | 80 | 82 | 101 | 4 | 3 | 6C | 152/9 | |
| 90 | 8 | 1965 | 62 | 69 | 75 | 83 | 87 | 92 | 96 | 101 | 122 | 5 | 3.7 | 6E | 152/11 | |
| 104 | 8 | 1910 | 78 | 87 | 95 | 105 | 111 | 116 | 123 | 145 | 155 | 7.5 | 5.5 | 6E | 152/14 | |
| 111 | 8 | 2240 | 91 | 104 | 113 | 124 | 132 | 168 | 178 | 181 | 218 | 10 | 5.5 | 6E | 152/20 | |
| 124 | 8 | 2240 | 114 | 156 | 138 | 149 | 160 | 168 | 177 | 181 | 218 | 10 | 7.5 | 6E | 152/23 | |
| 133 | 8 | 2370 | 140 | 156 | 170 | 182 | 194 | 203 | 214 | 219 | 266 | 10 | 7.5 | 6E | 152/23 | |
| 173 | 10 | 2605 | 176 | 195 | 214 | 232 | 247 | 260 | 273 | 282 | 340 | 12.5 | 9.2 | 7A | 152/30 | |
| 207 | 10 | 3030 | 205 | 230 | 251 | 273 | 292 | 310 | 325 | 335 | 405 | 15 | 11 | 7A | 152/38 | |

* ** Ref to page 25

* ** رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------------|-----------|
| Outlet Pipe Dia. | 2 Inch | * قطر لوله خروجی | Check Valve | 1 1/2 - 11 Inch | رزه سوپاپ |
|------------------|--------|------------------|-------------|-----------------|-----------|

| * وزن کل Total Weight (kg) | قطر چاه Well Dia. (In) | طول کلی Total Length (mm) | Capacity (m ³ /h) آبدهی | | | | | * توان نامی Nom. Power | | موتور Motor | پمپ Pump | | | | |
|----------------------------------|------------------------------|---------------------------------|------------------------------------|-------|------|-------|-------|---------------------------|-------|----------------|-------------|------|----|----|--------|
| | | | 30 | 25 | 20* | 15 | 0 | HP | kW | | | | | | |
| | | | Head (m) ارتفاع | | | | | | | | | | | | |
| 92 | 10 | 1420 | 24 | 29 | 32 | 33 | 40 | 5 | 3.7 | 6E | 233/2 | | | | |
| 105 | 10 | 1560 | 35 | 43.5 | 48 | 52.5 | 60 | 7.5 | 5.5 | 6E | 233/3 | | | | |
| 116 | 10 | 1680 | 48 | 58 | 64 | 70 | 80 | 10 | 7.5 | 6E | 233/4 | | | | |
| 141 | 10 | 1680 | 60 | 72.5 | 86 | 87.5 | 100 | 12.5 | 9.2 | 7A | 233/5 | | | | |
| 157 | 10 | 1800 | 72 | 87 | 96 | 165 | 120 | 18 | 11 | 7A | 233/6 | | | | |
| 169 | 10 | 1895 | 94 | 101.5 | 112 | 122.5 | 140 | 18 | 13 | 7A | 233/7 | | | | |
| 181 | 10 | 2015 | 96 | 116 | 128 | 140 | 160 | 20 | 15 | 7A | 233/8 | | | | |
| 202 | 10 | 2150 | 100 | 159.5 | 144 | 157.5 | 160 | 25 | 18.5 | 7A | 233/9 | | | | |
| 208 | 10 | 2210 | 120 | 145 | 160 | 175 | 200 | 25 | 18.5 | 7A | 233/10 | | | | |
| 214 | 10 | 2265 | 132 | 159.5 | 176 | 192.5 | 220 | 25 | 18.5 | 7A | 233/11 | | | | |
| 216 | 10 | 2375 | 144 | 174 | 192 | 210 | 240 | 30 | 22 | 7A | 233/12 | | | | |
| 279 | 306 | 10 | 12 | 2645 | 2495 | 185 | 188.5 | 205 | 227.5 | 280 | 33 | 24.5 | 8A | 9A | 233/13 |
| 285 | 312 | 10 | 12 | 2750 | 2555 | 186 | 203 | 224 | 245 | 280 | 33 | 24.5 | 8A | 9A | 233/14 |
| 316 | 333 | 10 | 12 | 2865 | 2740 | 190 | 217.5 | 240 | 262.5 | 320 | 41 | 30 | 8A | 9A | 233/15 |
| 322 | 339 | 10 | 12 | 3020 | 2785 | 192 | 282 | 256 | 250 | 320 | 41 | 30 | 8A | 9A | 233/16 |
| 338 | 345 | 10 | 12 | 3080 | 3080 | 204 | 244.5 | 272 | 337.5 | 380 | 41 | 30 | 8A | 9A | 233/17 |
| 351 | 379 | 10 | 12 | 3270 | 3010 | 216 | 261 | 288 | 315 | 380 | 50 | 37 | 8A | 9A | 233/18 |
| 357 | 379 | 10 | 12 | 3330 | 3010 | 240 | 275.5 | 304 | 332.5 | 380 | 50 | 37 | 8A | 9A | 233/19 |
| 363 | 385 | 10 | 12 | 3385 | 3125 | 240 | 390 | 320 | 350 | 420 | 50 | 37 | 8A | 9A | 233/20 |
| 369 | 391 | 10 | 12 | 3440 | 3180 | 252 | 304.5 | 336 | 367.5 | 420 | 50 | 37 | 8A | 9A | 233/21 |

* ** Ref to page 25

* ** رجوع شود به صفحه ۲۵

| | | | | | |
|------------------|--------|------------------|-------------|-----------|-----------|
| Outlet Pipe Dia. | 3 Inch | * قطر لوله خروجی | Check Valve | 3-11 Inch | رزه سوپاپ |
|------------------|--------|------------------|-------------|-----------|-----------|